

WILLING CHEM Document No: PWC-MSDS-002

MSDS for Dibenzothiazole Disulfide

**** SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION ****

Product Name: Accelerator MBTS
Chemical Name: 2,2'-Dithiobis(benzothiazole);
Synonyms: WILLING MBTS; MBTS
Company Identification: Puyang Willing Chemicals Co. LTD.
Industry and Commercial Model Zone
Puyang City, Henan, China
457163

For other information call:

00 86 21 3422 5991
00 86 137 0164 5278

Contact: Mr. Kuber Tan

**** SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS ****

CAS#	Chemical Name	%	EINECS#
120-78-5	Dibenzothiazole Disulfide	>97.0	204-424-9

Hazard Symbols: Xi N

Risk Phrases: R31 R43 R50/53

**** SECTION 3 - HAZARDS IDENTIFICATION ****

Emergency Overview: WARNING! Combustible dust - explosion potential. Keep away from heat, sparks, and flame. Dust may be irritating to eyes and upper respiratory tract.

Eye Contact: May cause mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.

Skin Contact: May cause an allergic skin reaction. May cause a rash and itching of the skin. May cause skin defatting with prolonged exposure.

Inhalation: May cause mild respiratory irritation.

Ingestion: Swallowing a relatively large amount of this material is unlikely to produce serious illness or death.

****** SECTION 4 – FIRST AID MEASURES ******

In Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

On Skin: Remove contaminated clothing. Wash skin with water, using soap if available. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.

Inhaled: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

Swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Notes To Physician: Provide symptomatic/supportive care as necessary. Treatment based on sound judgment of physician and individual reactions of patient.

****** SECTION 5 – FIRE FIGHTING MEASURES ******

Flash Point (°F/C): 520°F / 271°C

Flash Point Method: Cleveland Open Cup

Autoignition Temp. (°F/C): 680°F / 360°C

Lower Explosion Limit in Air (LEL): Not Determined

Upper Explosion Limit in Air (UEL): Not Determined.

Extinguishing Media: Water fog, carbon dioxide, foam, dry chemical

Special Exposure Hazards: Fight fire from a safe distance and from a protected location. Flammable dust when in finely divided and highly suspended state. Use water spray to cool fire exposed surfaces. Do not allow runoff to enter waterways.

Special Protective Equipment: Fire fighters should wear full protective clothing, including self-contained breathing equipment.

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire. Fire produces highly toxic sulfur dioxide gas

****** SECTION 6 – ACCIDENTAL RELEASE MEASURES ******

Spill Procedures: Wear protective equipment specified. Avoid the generation of dust. Sweep, vacuum, or shovel and place into closable container for disposal.

Procedure for Cleaning/Absorption: Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Scoop up and remove. Do NOT spread spilled product with water.

CERCLA Reportable Quantity (RQ): Not Applicable.

****** SECTION 7 – HANDLING and STORAGE ******

Handling: Good hygienic practices should be observed. Work clothes should be washed separately at the end of each work day. Disposable clothing should be discarded with material.

Avoid generating or breathing dust. Avoid contact with eyes, skin and clothing. Reclose containers of unused product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Do not reuse this container.

Storage: Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing materials. Avoid exposure to direct sunlight.

****** SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION ******

Eye Protection: Wear safety glasses or goggles to protect against exposure. Eye protection is not required during typical product use conditions

Skin Protection: Normal work coveralls. Launder contaminated clothing before reuse.

Gloves: Use gloves as a standard industrial handling procedure. All cleanable impervious glove types are acceptable.

Respiratory Protection: Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure. Firefighting; use a Positive Pressure Demand Full Face Self Contained Breathing Apparatus.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air pollutions control regulations. Eliminate ignition sources.

Airborne Exposure Limits: Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m³ (Total Dust). OSHA PEL/8-Hr TWA = 05mg/m³ (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m³. White Mineral Oil OSHA PEL/8-Hr TWA = 5mg/m³ ACGIH TLV/8-Hr TWA = 5mg/m³.

****** SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES ******

Appearance:	Off-white powder. White to off-white granules.
Odor:	SLIGHT AROMATIC
pH:	Not Applicable
Specific Gravity:	1.54 @ 25°C
Density:	Unknown
Bulk Density:	Not Determined
Melting Point (°F/C):	365°F / 180°C
Boiling Point (°F/C):	500°F / 260°C
Vapor Pressure:	Negligible
Vapor Density (Air=1):	Not Determined
% Volatile by Volume:	<0.5%
Solubility in Water:	<0.01 g/ml @20°C
Other Solubility:	Slightly soluble in Ethanol Acetone
Viscosity:	Not determined.
Other Data:	Decomposes above boiling point
Molecular Weight:	332.38
Molecular Formula:	C ₁₄ H ₈ N ₂ S ₄

Loss on Drying	0.30% Max
Ash	0.30% Max
Oil content	0-2% (Upon buyer's request)

****** SECTION 10 – STABILITY AND REACTIVITY ******

Chemical Stability: Stable when stored at room temperature in closed, original container. Stable under normal conditions of handling, use and transportation.

Hazardous Polymerization: Will not occur

Conditions to Avoid: Keep away from heat, sparks and flame. Dispersion of dust. Temperatures above 250°C. Avoid contact with strong oxidants such as liquid chlorine and concentrated oxygen.

Materials to Avoid: Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products: Carbon monoxide. Oxides of nitrogen. Oxides of sulfur.

Additional Guidelines: Not Applicable

****** SECTION 11 – TOXICOLOGICAL INFORMATION ******

Target Organs

Acute Oral LD50 (mg/kg): >7940 mg/kg (Rat)

Acute Dermal LD50 (mg/kg): >7940 mg/kg (Rabbit)

Acute Inhalation LC50 (mg/l): Not Determined

Principle Routes of Exposure: Eyes. Inhalation. Dermal - skin.

Ingestion: Swallowing a relatively large amount of this material is unlikely to produce serious illness or death.

Skin Contact: May cause an allergic skin reaction. May cause a rash and itching of the skin. May cause skin defatting with prolonged exposure.

Inhalation: May cause mild respiratory irritation.

Eye Contact: May cause mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.

Aggravated Conditions: Pulmonary disorders. Dermal ailments. Eye ailments.

Carcinogenicity Comment: This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA. Carcinogenic: Category 3

Other: No other first aid needed. Only hazard is a dust hazard.

Primary Irritation Effect: Practically non-irritating

Carcinogenicity: Negative in standard tests using bacteria and yeast cells.

Genotoxicity: None

Reproductive/Developmental

Toxicity: No evidence of teratogenicity in animal studies using rats, mice and/or hamsters.

****** SECTION 12 – ECOLOGICAL INFORMATION ******

Acute Fish Toxicity: 96Hr LC50 Rainbow Trout = 66.0 mg/l.
96Hr LC50 Bluegill Sunfish = 82.0 mg/l.
96Hr LC50 Fathead Minnow = >1000 mg/l.
Acute Crustaceans Toxicity: 48Hr LC50 Daphnia Magna = 82.0 mg/l
Acute Algae Toxicity: 96Hr EC50 Algae (cell number) = 0.7 mg/l
Octanol/Water Coefficient: 4.5 (Estimated)
Chemical Fate Information: Sunlight Photolysis: T(1/2) = 3 hours.
Other Information: Marginally susceptible to indirect photolysis.

****** SECTION 13 – DISPOSAL CONSIDERATIONS ******

Disposal of Waste Method: This material is not a RCRA hazardous waste. Bury in a licensed landfill or burn in an approved incinerator according to federal, state, and local regulations. Empty containers should be handled in a manner not to cause dusting during collection, transportation and disposal.

Contaminated Packaging: If empty container retains product residues, all label precautions must be observed. Store away from ignition sources. Transport with all closures in place. Return for reuse or dispose according to national or local regulations. Dispose of container according to national or local regulations.

****** SECTION 14 – TRANSPORT INFORMATION ******

Land transport (ADR/ RID)

ADR class:	9	RID class:	9	ADR/RID packing group:	III
Hazard Identification No.:	90	Substance Identification No. :		UN number:	3077
TREM-Card:	3077912c01				

Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s.
(2,2'-dithiobis(benzothiazole))ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.(2,2'-Dithiobis(benzothiazole))

Sea transport (IMDG-code/ IMO)

IMO/IMDG code:	not restricted	Class:	not restricted
Packing group:	not relevant	UN number:	none
EMS:	not relevant	Subsidiary Risk:	no
Marine pollutant:	no		

Proper Shipping Name: not relevant

Air transport (ICAO-TI/ IATA-DGR)

ICAO-TI/IATA-DGR	UN number: 3077
Class: 9	Packing group: III

Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s.
(2,2'-dithiobis(benzothiazole))

****** SECTION 15 – REGULATORY INFORMATION ******

Worldwide Inventory Status

TSCA (USA):	Listed
Canadian DSL:	Listed
Canadian NDSL:	Not Applicable. Listed on the DSL.
EINECS/ELINCS (Europe):	Listed
Japanese Inventory (ENCS):	Listed
Korean Chemical Inventory (ECL):	Listed
Australian Chemical Inventories (AICS):	
	Listed
New Zealand (NZ):	Listed
Phillipines (PICCS) Inventory:	Listed
China (CLECS):	Listed
US Regulatory Rules	
SARA Section 302:	None Found
SARA 311/312 Hazard Categories:	Immediate Delayed Fire
SARA 313 Chemical:	Not Applicable / None
RCRA Status:	Not a RCRA waste.
Other Regulations:	
California Proposition 65:	NONE
New Jersey Right-to-Know List:	Not Applicable.
Pennsylvania Right to Know List:	Not Applicable.
Florida Right to Know:	Not Applicable.
Minnesota Right to Know:	Not applicable
MA Right to Know Law:	Not Applicable.
FDA Status 21 CFR:	Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber Articles Intended for Repeated Use in Food Contact. 175.105 Components of Adhesives.
Canadian Regulations	
WHMIS Hazard Class:	D2B TOXIC MATERIALS / Materials Causing Other Toxic Effects
NPRI:	Not Listed. [Canada]
Labelling according to EU guidelines:	
	The products has been classified and marked in accordance with EU Directives/Ordinance on Hazardous Materials.
Code letter and hazard designation of product:	
	XI Irritant
	N Dangerous for the environment
Risk Phrases:	
	31 Contact with acids liberates toxic gas
	43 May cause sensitization by skin contact .
	R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Safety phrases:	
	2 Keep out of the reach of children.
	24 Avoid contact with skin.

36/37 Wear suitable protective clothing and gloves.

60 This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

National regulations:

Water hazard class: water hazard class 2(self-assessment) hazardous for water.

****** SECTION 16 – ADDITIONAL INFORMATION ******

MSDS Creation Date: 2/1/2003 Revision #0 Date: Original.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.